

Sanitation and Hygiene















Sanitation and Hygiene

ANALYSIS R1.1 HAND DRYER R4.1 HAND DRYER P1.1 WATERLESS URINAL P6 WATERLESS URINAL P1.1s WATERLESS URINAL P1.1 and R1.1 REGULAR SERVICING F6 AIR FRESHENER F5 AIR FRESHENER F1 and F1S AIR FRESHENERS F2 AIR FRESHENER FLOOR DRAIN INLET WATER SAVERS S2 and S3 SOAP DISPENSERS S4 SOAP DISPENSER S₃ and S₄ HAND DISINFECTANT DISPENSERS D1 HAND DISINFECTANT DISPENSER D8 and D10 HAND DISINFECTANT DISPENSER D7 DISINFECTION WIPES, DUOMAX D3 HAND DISINFECTANT DISPENSER D3.1 HAND/FOOT DISINFECTANT DISPENSER D4 TOILET SEAT DISINFECTION, GERMSTAR D11 DISINFECTION TERMINALS, DEFIBRILLATOR 48 - 49 BIOLOGICAL SANITARY CLEANER URINAL SCREENS, DRAIN CLEANER

LOOLIGHTS - CUBICLE OCCUPANCY SYSTEM

ECOSTEP

04

06 - 07

08 - 09

10 - 11

12 - 13

14 - 15

16 - 17

18 - 19

20 - 21

22 - 23

24 - 25

26 - 27

20 - 29

30 - 31

32 - 33

34 - 35

36 - 37

38 - 39

40 - 41

42 - 43

44 - 45

46 - 47

51

52 - 53

54 - 55

Disinfection and Healthcare

Cleaning and Facilities



ECOSTEP

Ecostep is number one on the market for environmentally-friendly toilet equipment. We will help you not only to reduce the consumption of paper towels, water and electricity, but also to keep your toilets and other operations hygienic and odour free.

Each of our products saves you money, but even more important, saves the environment.

PRODUCTS

Products are environmentally-friendly, contactless and antibacterial. They prevent the spread of bacteria and viruses in the maximum possible way. A modern design, meticulous craftsmanship, material quality and low operating cost rate these products among the best on the global market.

ANALYSIS AND PRESENTATION

We will analyse your costs including depreciation and other factors, and present it in graphical form. We will personally present our products at your site.

SERVICING WITHIN 48 HOURS

Should you experience a problem with our product, we guarantee its servicing or replacement within 48 hours. We offer regular servicing, maintenance, cleaning and wearable part replacement for all our products; not conditioned by signing a service contract.

INSTALLATION AND TRAINING

We provide professional and rapid installation of all products presented in this catalogue. All our products include free training on operating and maintenance.

FREE TESTING

Use the possibility to borrow our products for free for testing purposes.

INSTALMENTS WITHOUT EXTRAS

All products can be bought through an instalment plan without any extras.

OUR PROFESSIONAL PRODUCTS ARE IDEAL FOR:

- restaurants and bars
- hotels
- administrative buildings
- large and small companies
- shopping centres and supermarkets
- food & beverage industries

- medical facilities
- airports
- sports and relaxation centres
- areas with stricter hygienic requirements
- schools, cinemas and ZOOs
- residential units and houses

CLASSIFICATION OF ECOSTEP ECONOMICAL TOILETS












Annual Toilet Operating Costs if Used 300 Times per Day

Products	Hand drying costs	Urinal operating costs	Total annual costs
ECOSTEP R1.1 hand dryer + ECOSTEP P1.1 waterless urinal	22,31 €	70,38 €	92,69 €
Standard hand dryer (2400 W) + traditional urinal	263,- €	612,- €	875,- €
Paper towels + traditional urinal	2747,- €	613,- €	3360,- €



FOR AN ONLINE CALCULATOR SEE WWW.ECOSTEP.CZ

Calculated from average prices of electricity, water, sewage removal and paper towels valid in the Czech Republic in the first quarter of 2022.






Hand dryer

DISPLAY INDICATOR



DIMENSIONS



HEPA 13 AND FOAM FILTERS





9 - 11 sec.





Do not worry about replacements, cleaning or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!





Key Benefits

- Most advanced, digital, new generation motor
- **5-year warranty** or 1,000,000 uses
- Lowest electricity consumption 1000 W / 750 W
- Two speeds reduced noise and consumption
- Vandalism resistant hardened plastic material
- Tray for water dripping from hands = dry and clean floor Rated input
- Contains air freshener and neutralizes odours (ZS Gel)
 RPM
- **HEPA 13 filter** eliminates 99.9 % of airborne bacteria (replaceable with foam filter)
- HACCP certificate suitable for food & beverage industries
- Dual dust filter
- Antibacterial surface including ION PURE
- · Remote control for displaying the number and total time of use
- 9 11 second drying time Servicing on/off switch
- No heating
- Light indicators: operation, water level in the tray and replace filter
- Fully dries both sides of hands simultaneously
- Up to 90% lower electricity consumption compared to conventional dryers
- Large space for comfortable hand insertion
- Automatic safety shutdown after 20 seconds
- Air velocity: 620 km per hour.
- Maintenance-free operation and anti-theft protection
- **LED** illumination
- Choice of three colour options (pearl white, silver and black)

R1.1 i



- + air ioniser
- + HEPA 13 filter
- + antibacterial surface

Technical Specifications

MOTOR

Start

AC, brushless Motor Voltage 220 - 240 V 50 / 60 Hz Frequency 1000 W / 750 W

35,000

Air velocity 1) 172 mps (620 kph)

2) 122 mps (440 kph) slow, automatic

and contactless Noise level 70 dB

MISCELLANEOUS

Material ABS - fire protection 94VO, PC, PMMA

IP rating IP33

Dimensions w: 334 × h: 673 × d: 233 mm

Weight approx. 9 kg Test, certificates CE, GS, EMS, ETL,

CCC, HACCP

Warranty 5 years or 3,000 hours

> (1,000,000 cycles, 10 seconds each),

2 years for installation work

Available colours


















DRYINGTIME

9 - 11 Sec.



Do not worry about replacements, cleaning or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! **No contract needed!**

HEPA 13 FILTERS







Key Benefits

- Most advanced, digital, new generation motor
- HEPA 13 filter eliminates 99.9% of bacteria
- UV-C light kills airborne bacteria
- Air ioniser eliminates bacteria, viruses and odours; cleans the air with negative ions
- Automatic air sterilisation

The dryer cleans the air by ionization, HEPA filter and UV filter after the last use. The motor runs quietly at low speed (10 W) cleaning the air for 60 minutes – this function can be deactivated.

- Heating for hot air (400 W) can be deactivated
- New ventilation opening for fast and high-quality drying
- 5-year warranty
- On/off switch
- Dual speed
- Suitable for installation under a mirror
- 9 11 second drying time
- · Anti-vandalism aluminium cover
- High performance in compact form
- Up to 90% lower electricity consumption compared to conventional dryers
- Maintenance-free operation and anti-theft protection
- Two colour options (silver and graphite)

Technical Specifications

MOTOR

Motor AC, brushless Voltage 220 - 240 V Frequency 50 / 60 Hz

Rated input 720 W (320 W+ 400 W)

RPM 24,500

Air velocity 96 mps (346 kph) Start slow, automatic,

contactless

Noise level 71 dB

MISCELLANEOUS

Material anodised aerospace aluminium,

3 mm, brushed, heat resistant PP, fire resistant 94VO

IP rating IPX3

Weight approx. 3.3 kg
Test, certificates CE, GS, RoHs

Warranty 5 years or 3,000 hours

(1,000,000 cycles, 10 seconds each),

2 years for installation work

R4.1

hygienic hand dryer

- + air ioniser
- + UV-C
- + HEPA 13 filter

Available colours




Sanitation and Hygiene Sanitation and Hygiene





Waterless Urinal

DIMENSIONS



OPERATING PRINCIPLE

- 1. Bio Block
- 2. Debris catcher
- 3. P1 valve







Key Benefits

The P1.1 waterless urinal, which is number one on the market, reduces odour that is typical for flushed urinals with poorly maintained ceramic bowls. P1.1 reduces water consumption as well as standard maintenance costs. Cleaning of P1.1 does not take more than 20 seconds per day and everybody can manage it.

Our patented P1 valves are the only ones in the market that efficiently block odour for at least 6 months. The valves of our competitors typically have to be replaced after 1 to 5 months, others require watering with large amounts of water or special filling substances.



BIO-BLOCKS AND FRAGRANCES FOR WATERLESS URINALS



Technical Specifications

- **SAVES** high costs
- **ELIMINATES** unpleasant odour
- **REDUCES** clogging of sewer pipes by up to 80%
- INCREASES toilet standard and cleanliness
- **GUARANTEES** it's valve's wear life
- **REPLACES** 99% of competing valves
- **PROVIDES** hygienic operation
- **ASSISTS** in obtaining LEED and ISO certificates
- Significantly reduce costs for water and electricity
- Urinal is 100% odour-free and bacteria-free
- Completely **hygienic** operation
- Valve with guaranteed wear life life of at least 6 months
- Valve can be **easily retrofitted** even in competing waterless urinals
- Ceramic urinal with special surface
- Easy to clean
- Environmentally friendly
- Can **easily replace** already installed flushed urinals
- Globally patented technology

SANITARY BIOLOGICAL CLEANER





REGULAR SERVICING

Number one

in the

waterless

urinal market


Do not worry about replacements, cleaning or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!



P6

Waterless Urinal


DIMENSIONS



OPERATING PRINCIPLE

- 1. Bio Block
- 2. Debris catcher
- 3. P1 valve







in the

waterless urinal market

Do not worry about replacements, cleaning or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!



Key Benefits

The P6 waterless urinal, which is number one on the market, reduces odour that is typical for flushed urinals with poorly maintained ceramic bowls. P6 reduces water consumption as well as standard maintenance costs. Cleaning of P6 does not take more than 20 seconds per day and everybody can manage it.

Our patented P1 valves are the only ones in the market that efficiently block odour for at least 6 months. The valves of our competitors typically have to be replaced after 1 to 5 months, others require watering with large amounts of water or special filling substances.



BIO BLOCKS AND FRAGRANCES FOR WATERLESS URINALS



Technical Specifications

- **SAVES** high costs
- **ELIMINATES** unpleasant odour
- **REDUCES** clogging of sewer pipes by up to 80%
- INCREASES toilet standard and cleanliness
- **GUARANTEES** it's valve's wear life
- **REPLACES** 99% of competing valves
- **PROVIDES** hygienic operation
- **ASSISTS** in obtaining LEED and ISO certificates
- Significantly reduce costs for water and electricity
- Urinal is 100% odour-free and bacteria-free
- Completely **hygienic** operation
- Valve with guaranteed wear life life of at least 6 months
- Valve can be **easily retrofitted** even in competing waterless urinals
- Ceramic urinal with special surface
- Easy to clean
- Environmentally friendly
- Can **easily replace** already installed flushed urinals
- Globally patented technology

SANITARY BIOLOGICAL CLEANER










Waterless Urinal Fiberglass

DIMENSIONS



OPERATING PRINCIPLE

- 1. Bio Block
- 2. Debris catcher
- 3. P1 valve



REGULAR SERVICING

Number one

in the

waterless

urinal market

Do not worry about replacements, cleaning or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!



Key Benefits

The P1.1 Fiberglass waterless urinal reduces odour that is typical for flushed urinals with poorly maintained ceramic bowls. P1.1 Fiberglass reduces water consumption as well as standard maintenance costs. Cleaning of P1.1 Fibreglass does not take more than 20 seconds per day and everybody can manage it.

Our patented P1 valves are the only ones in the market that efficiently block odour for at least 6 months. The valves of our competitors typically have to be replaced after 1 to 5 months, others require watering with large amounts of water or special filling substances.



BIO BLOCKS AND FRAGRANCES FOR WATERLESS URINALS



Technical Specifications

- **SAVES** high costs
- **ELIMINATES** unpleasant odour
- **REDUCES** clogging of sewer pipes by up to 80%
- INCREASES toilet standard and cleanliness
- **GUARANTEES** it's valve's wear life
- **REPLACES** 99% of competing valves
- **PROVIDES** hygienic operation
- **ASSISTS** in obtaining LEED and ISO certificates
- Significantly reduce costs for water and electricity
- Urinal is 100% odour-free and bacteria-free
- Completely **hygienic** operation
- Valve with guaranteed wear life life of at least 6 months
- Valve can be **easily retrofitted** even in competing waterless urinals
- Ceramic urinal with special surface
- Easy to clean
- Environmentally friendly
- Can **easily replace** already installed flushed urinals
- Globally patented technology

P3 STAINLESS STEEL WATERLESS URINAL P3 STAINLESS STEEL WATERLESS URINAL TROUGH







IS YOUR WATERLESS URINAL REGULARLY SERVICED?

We offer regular servicing of ECOSTEP waterless urinals. Do not worry about replacements, cleaning of drains or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction!

KEY BENEFITS

- Regular servicing performed every **four months**
- You will be notified of the servicing date at least **one week in advance**
- Guaranteed trouble-free operation of urinals between service visits
- The servicing price includes: complete cleaning of urinals and drains,
 Fresh Bio Block replacement, valve replacement, adapter and/or info
 sign replacement if damaged, functionality check, work and transport
 in the Czech Republic.



PRICE

- Only CZK 499 per waterless urinal per month
- Optional monthly or four-monthly (one service cycle) payments
- Servicing to be ordered for at least one year without the need to sign a contract

ANNUAL WORK SCHEDULE AND PARTS APPLIED

Month 4		Month 8		Month 12	
Bio Block replacement		Bio Block replacement		Bio Block replacement	
Valve check and cleaning		Valve check and cleaning		Valve check and cleaning	
Drain cleaning	r _e	Drain cleaning	F	Drain cleaning	r _e
Urinal cleaning	~	Urinal cleaning	~	Urinal cleaning	~
Functionality check	~	Functionality check	~	Functionality check	~
Adapter replacement	31	Adapter replacement	21	Adapter replacement	91
Info sign replacement	Bervody pinoir Whateless utrial	Info sign replacement	Barved) phase United States and United States an	Info sign replacement	Barrodi planer State form until
Transport and work in the		Transport and work in the	./	Transport and work in the	
Czech Republic		Czech Republic		Czech Republic	



We offer regular servicing of R1.1 hand dryers. Do not worry about replacements of filters and/or ZS Gel, cleaning or servicing of your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction!

KEY BENEFITS

- Regular servicing performed every four months
- You will be notified of the servicing date at least one week in advance
- Guaranteed trouble-free operation between service visits
- The servicing price includes: complete cleaning and disinfection, filter and ZS Gel replacement, info sign replacement if damaged, functionality check, work and transport in the Czech Republic.



PRICE

- Only CZK 399 per R1.1 hand dryer per month
- Optional monthly or four-monthly (one service cycle) payments
- Servicing to be ordered for at least one year without the need to sign a contract

ANNUAL WORK SCHEDULE AND PARTS APPLIED

Month 4	Month 8	Month 12
Filter replacement	Filter replacement	Filter replacement
ZS Gel replacement	ZS Gel replacement	ZS Gel replacement
Hand dryer cleaning	Hand dryer cleaning	Hand dryer cleaning
Drip tray disinfection	Drip tray disinfection	Drip tray disinfection
Functionality check	Functionality check	Functionality check
Info sign replacement	Info sign replacement	Info sign replacement
Transport and work in the	Transport and work in the	Transport and work in the
Czech Republic	Czech Republic	Czech Republic



FRAGRANCES - the complete portfolio of fragrances can be found at eshop.ecostep.cz

LEMONGRASS



VANILLA

...

0

FRAGRANCE FREE (ODORAXE)

COFFEE

...





Basic Information:

Hyscent interior fragrances are number one on the market for scenting small and large indoor spaces, such as offices, schools, corridors, sanitary facilities, shops, hotel rooms, etc. Different types offer setting of different regimes and dosing intensities. Thanks to the regular air circulation through the device, the scent in the room stays on a constant level throughout the tablet service life.

The tablets are environmentally friendly, without any chemical compounds and are safe even for children. They can last for several months, depending on the type and the dosing intensity.

More at interierovavune.cz

Hyscent Pod is ideal for scenting small rooms. Small rooms do not need a large device powered by batteries or from the mains. Simply stick it anywhere you wish.

Scenting capacity: 30 m³ (approx. 12 m²)

Hyscent Solo is suitable for medium rooms such as hotel rooms, sanitary facilities, bedrooms, offices, etc. You can set a daytime or 24-hour regime as well as the dosing intensity. Thanks to the regular air circulation, the scent in the room stays on a constant level throughout the tablet service life.

Scenting capacity: 70 m³ (approx. 30 m²)

Hyscent Dual can contain 2 fragrances. This combination allows you to mix fragrances to your liking and create your own scent. Another mode allows to alternate fragrances not to get used to one and lose its sense. Hyscent DUAL is the perfect device for automatic interior scenting. You can set the intensity, the daytime or 24-hour regime and dosage of fragrances. This means that you can freely combine the fragrances and create

Scenting capacity: 180 m³ (approx. 70 m²)

Technical Specifications

MISCELLANEOUS

Solo: 2 "C" batteries Power supply

Dual: 2 "D" batteries

Programmable Warning signal yes

Installation height 0 - 3000 mm Refill fragrant tablets

Warranty 2 years

Key Benefits

- Tablet service life 45 60 days
- Wall or stand installation
- Health-safe
- **Efficient** interior scenting
- **Regular inspection** of the composition by laboratory tests
- Combination of several fragrances
- Maintenance-free operation
- Two colour options (black and white)



Do not worry about replacements, cleaning or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction!

No contract needed!





Stealth High-Capacity Air Freshener

Available Colours





REGULAR SERVICING

Do not worry about replacements, cleaning or servicing your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!

FRAGRANCES - the complete portfolio of fragrances can be found at eshop.ecostep.cz











VANILLA

...















Basic **Information:**

The fully automated F5 Hyscent STEALTH is suitable for rooms with a large concentration of people. Scenting capacity up to 1000 m³. Powered from the mains. Thanks to the capacity of up to 6 fragrance cartridges, a unique scent combination can be created to your liking. The package includes a remote control, used for adjusting the fragrance dosing intensity. The overall scent can be controlled by the dosing intensity, the time and the day(s) in the week, and is set up as part of the device installation. This device can scent up to two interconnected floors.

Suitable installation locations include lobbies, reception halls, entrance areas of shopping centres and similar public spaces.

Available in white and matt black colours. An anti-theft wall-fixing holder can be purchased as an option for Stealth.

More at interierovavune.cz

WALL MOUNTING



Technical Specifications

MISCELLANEOUS

Power supply 230 V

Installation height 0 - 3000 mm Programmable weekly cycles

and intensity

2 years

Warning signal information display Refill fragrance tablets

Warranty

Key Benefits

- · Fully automatic air freshener
- Scenting capacity of up to 1000 m³
- Full-fledged settings including days, intensity and length of dosing
- Up to 6 fragrances combinable in one device to create your own scent
- The fragrances are made from essential oils and are safe for children and asthmatics
- The device is powered from the mains
- Remote control and wall mounting (bracket sold separately)

FRAGRANCE RESERVOIR



20 Sanitation and Hygiene Sanitation and Hygiene 21







Freshener

F1S STAINLESS STEEL - ANTIVANDAL



FRAGRANCES - the complete portfolio of fragrances can be found at eshop.ecostep.cz



kombinuie santalové dřevo a šafrán



Teplá a jemná kombinace zralých plodů s nádechem šťavnaté a ovocné vůně



oslazené svěžími a šťavnatými limetky, citronu a grapefruitu



s nádechem čerstvě vypraného



Nádherná melounová vůně s podtextem zelené louky, citrusů a lehce květinového pozadí

Zeal

xxx



tropického ovoce a kokosu



květin a vodv

Osvěžující vůně zeleného

iablka a hrušky měkčené

broskví a ananasem

xxx



Punch

xxx

papájou.

Glow

* * * * *

kombinuje čerstvé jablko



Tropická vůně s lehkou svěžestí citrusu, sladkého





mandlí a švestky na pozadí vanilky a skořice



rozmarýnu a kafru s tónem

xxx

bylinkami



se špetkou pomeranče podpořená horkým kořením

Basic **Information:**

Most air fresheners only cover up unpleasant odours with perfume. ECOSTEP-F1 uses NeutraLoxTM, a system of molecule odour neutralisation. It operates continuously 24 hours a day for 60 days, thanks to its revolutionary oxygen dosing system. The patented gas cell releases precise amounts of oxygen into the cartridge. Oxygen is blown into a closed chamber, where it pushes the fragrance out of the bag, thus ensuring its exact dosing into the output pad. Natural air movement then disperses fragrance molecules throughout the room.

Key Benefits

- Refreshes the air 24/7
- Guaranteed cartridge life of 60 days
- Neutralises odour molecules with NeutraLoxTM
- New air freshening technology
- No sprayer or fan
- Fragrance oil based = no chemicals
- Effective for areas of up to 35 m²
- Powered by 2 × **AA batteries**
- · High performance in compact form
- Maintenance-free operation
- Low operating cost
- LED status indication
- Choice of device colours and fragrances
- Manufactured from recycled materials

Technical Specifications

MISCELLANEOUS

Power supply Installation height 0 - 3000 mm

Warning signal

2 × AA alkaline batteries

1500 mm recommended

cartridge replacement battery replacement

Dimensions w: 60 × h: 150 × d: 67 mm

Refill fragrant oil Warranty 2 years

PRINCIPLE OF F1 AIR FRESHENER





Do not worry about replacement, cleaning or servicing of your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!

22 Sanitation and Hygiene Sanitation and Hygiene 23



Freshener and Odour Neutraliser



FRAGRANCES - the complete portfolio of fragrances can be found at eshop.ecostep.cz



xxxx

Exotická květinová vůně kladivníku nočního, květu pomerančovníku a gardénie



charm

xxx

Fantastická vůně melounu modifikovaná chladnými zelenými tóny, s nádechem a kakostu s nádechem citrusových plodů a mírně čerstvé kolínské a citronu. květinovým pozadím.



OXY-GEN

GARANTOVÁ

crush xxxx

Exotická směs ananasu. tropického ovoce a kokosu.



ZINg spring xxx xxx

Intenzivní květinové tóny kanangy vonné, lavandinu rozkrojené mandarinky



glow xxxx

Šťavnaté černé třešně s nádechem mandlí. švestek, vanilky a skořice



spa

xxxx

Čerstvá, povzbuzující

levandulí a ostrým kořením.

vůně s aromatickou



Mair xx

Vůně lákavé čerstvě Ryzí, čistá vůně jemných květin a vodních tónů. doslazená svěžím. šťavnatým pomerančem



neutra-lox super 28888

tang

xxxx

Intenzivní ovocný parfém

s nádechem pomeranče

doplněný kořením pro

Tento produkt poskytující aroma s nádechem citronové trávy ie ideální volbou v prostorách, kde je požadováno vysoce účinné odstranění zápachu s použitím velmi slabé vůně pouze



2 alkalické baterie

AA s životností

až 1 rok

Tichý chod

Vypínač

indikaci

životnosti

zásobníku

Možnost umístit

v jakékoli výšce

a baterie

akustického

signálu pro

adore xxx

Rafinovaná vůně

kombinující tónv čerstvého jablka s jantarem a kořením



Svou aktivní složkou v podobě 100% přírodního stlinného oleje neutralizuje široké spektrum pachů, a to bez přidaných vonných olejů. Kleer Natural je ideální volbou v prostorách, kde není žádoucí používat vůně







Basic Information:

Oxygen PRO F2 is the only technology that guarantees the release of fragrance into the air continuously, systematically and accurately throughout the cartridge life.

This precise technology is based on "fuel cells" used in the pharmaceutical industry for administering drugs to humans and animals.

The Oxy-Gen Powered technology is simple, reliable and cost effective.

οχ?γ-gεn®

Technical Specifications

MISCELLANEOUS

Power supply

Warning signal

2 × AA alkaline batteries

Installation height 0 - 3000 mm

1500 mm recommended cartridge replacement

battery replacement

Dimensions w: 117 × h: 140 × d: 103 mm Refill fragrant oil

Warranty 2 years

Key Benefits


- Refreshes the air 24/7
- Intensity switch 30/60/90 days
- **Neutralises** odour molecules with NeutraLoxTM
- New air freshening technology
- No sprayer or fan
- Fragrance oil based = no chemicals
- Effective for areas of up to 50 m²
- Powered by 2 × AA batteries
- High performance in compact form
- Maintenance-free operation
- Low operating cost
- LED status indication
- Choice of device colours and fragrances
- Manufactured from recycled materials



REGULAR SERVICING

Do not worry about replacement, cleaning or servicing of your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!

Světelné ukazatele upozorňují na nutnost výměny zásobníku a baterii



Přepínač 30/60/90 dnů

Generátor kyslíku





TYPES



Basic **Information:**

Floor drains used to be used for draining water from floor washing, for water discharged by washing machines or for emptying buckets. Nowadays they serve primarily as emergency drains. This means they drain water overflowing from washbasins or toilets due to a blockage or in case of washing machine trouble, for example.

Common **Problems**

Traditional floor drain inlets work correctly only if their siphon is flooded with water preventing sewer odour from entering the room. This water, however, evaporates quickly and if the drain is not frequently used or regularly flooded, a serious problem of odour or pest invasion occurs. This is a very negatively perceived hygienic issue.

Solution: ECOSTEP

The ECOSTEP floor drain inlet is an innovative patented system preventing odours and/or pests from entering the room in a simple way. It eliminates otherwise necessary frequent drain watering The ECOSTEP system is very efficient and simple with very limited maintenance.

INSTALLATION EXAMPLES







System Maintenance

As this system is not dependent on regular watering, its maintenance is very simple. We recommend checking the grill state and the valve tightness once a month. If needed, the valve can be removed and washed in running lukewarm water.

Key Benefits

- Simple replacement of 99% of drain inlets
- Valve preventing sewage gases and odours from entering the room
- No need to water the inlet ever again
- Guaranteed service life of the valve at least 6 months (practically several years)
- Valve working even under extreme conditions and pressures
- System equipped with a removable stainless steel screen for **easy cleaning** and maintenance
- Sizes (in mm): 46, 50, 78, 90, 110, 117, 120, 145, 150, 180, 190







Basic Information:

Professional water-saving products for both commercial and private sectors. High quality stainless steel products that save you up to 85% on water and sewage costs.

- Hand-held shower heads
- LED shower heads
- Wall showers
- Aerators

- · Water flow limiters
- Shower hoses
- WC WaterStops
- Special high-pressure cleaners

Aerators, Showers WC WaterStop and Nozzles

- Made of stainless steel including the core
- Significant reduction in water and sewage costs
- Airtight closure = lower risk of bacteria spreading
- Coarse sieve = less calcification
- Smaller areas for lime deposits
- Anti-theft version
- Return on investment after about 300 uses
- Internal and external threads

Anti-vandal Showers

- Innovative principle of water flow turbulence
- Easy wall mounting
- Secured against vandalism and/or theft
- Selectable water flow of 6 12 l/min.
- Adjustable water flow angle
- Made of polished or brushed V4a stainless steel
- Security key
- Specific shape and concealed mounting
- Low maintenance minimal calcification
- Energy saving shower

- Stainless steel weight for application in toilet cistern
- Reduces water consumption by 50%
- Installable in the overflow pipe inside any type of flushing cistern

Touchless Faucets

- Fixed temperature (KLASSIK, PROFI)
- Powered by batteries or from the 230 V (12 V) mains
- Chrome-plated brass, closed surface (KLASSIK)
- Brushed stainless steel, closed surface (PROFI)
- · Control electronics and solenoid valve mounted in a separate unit
- Horizontally oriented sensor
- Automatic sensor range adjustment
- Safety shutdown after 1 minute
- Activatable hygienic rinsing
- Hygienic hand rinsing
- Water saving
- Vandal resistant

The faucets excel in meticulous workmanship and high-quality materials.

Aerators guarantee the lowest water consumption and thus a significant reduction in costs.

28 Sanitation and Hygiene Sanitation and Hygiene 29



Basic information:

ECOSTEP-S2 guarantees repeatable and accurate dosing regardless of the battery charge status. Each new sachet has its own foamer making sure that the dispenser always provides the best performance. Special vacuum soap sachets prevent drying of their contents and guarantee clean operation without soap leakage onto the sink or floor.

REFILL

Key Benefits

- One 1,000 ml sachet = approx. 2,600 doses
- New foaming system
- Soap savings of up to 65% compared to conventional dispensers
- Electronic contactless control
- No dripping or leaking (eliminates dried soap on and around the washbasin)
- Does not grow harmful bacteria
- Powered by conventional C-type batteries
- Always constant soap amount, regardless of the state of charge of the batteries
- Acoustic and light signal on low soap and low batteries
- Refill: standard soap or disinfectant
- Colour options: white, white/silver, black, black/chrome





Touchless Soap Dispenser

Available Colours





Basic information:

ECOSTEP-S3 is a small but powerful unit, which guarantees repeatable and accurate dosing regardless of the battery charge status. Each new sachet has its own foamer making sure that the dispenser always provides the best performance. Special vacuum soap sachets prevent drying of their contents and guarantee clean operation without soap leakage onto the sink or floor.

Key Benefits

- One 1,000 ml sachet = approx. 2,600 doses
- New foaming system
- Adjustable size of the foam dose
- Soap saving of up to 65% compared to conventional dispensers
- Electronic contactless control
- No dripping or leaking (eliminates dried soap on and around the washbasin)
- Does not grow harmful bacteria
- Always constant soap amount, regardless of the state of charge of the batteries
- **Refill:** standard soap or disinfectant
- Powered by 4x AA batteries (included)
- Colour options: white, black
- Dimensions: w: 125 × h: 240 × d: 100 mm

REFILL









Touchless Soap Dispenser

Available Colours



Basic information:

ECOSTEP-S4 is a new powerful top-class unit, which guarantees repeatable and accurate dosing regardless of the battery charge status. Thanks to its 1000 ml liquid tank, you can use your soap. Choose from two pump options: spray or foam.

Key Benefits

- · High quality wall dispenser with sensor
- Openable tank for 1000 ml of soap
- Contactless automatic operation
- Extra-long battery life thanks to smart energy saving technology
- 2 in 1 pump system for foam or spray (always one pump in the package)
- Hidden locking system
- Designed for quick and easy use
- Easy to clean for safety and optimal hygiene
- Dimensions: w: 120 × h: 280 × d: 130 mm
- 4 x C-type battery





Disinfection and Healthcare







Touchless Hand Disinfectant Dispenser

Available Colours





Basic Information:

ECOSTEP-S3 is a small and powerful foam disinfection dispenser that guarantees accurate dosing, regardless of the state of charge of the batteries. Each new sachet has its own foamer making sure that the dispenser always provides the best performance. Special vacuum sachets containing disinfectant and additive prevent drying of the hands and guarantee clean operation without leaking onto the sink or floor.

Key Benefits

- One 1,000 ml sachet = approx. 3,000 doses
- Skin-friendly alcohol-free disinfectant effective against COVID-19
- New foaming system
- · Installation on a wall or on an autonomous stand
- Adjustable size of the foam dose
- **Up to 65% soap saving** compared to conventional dispensers
- Electronic contactless control
- No dripping or leaking
- Does not grow harmful bacteria
- Always constant soap amount, regardless of the state of charge of the batteries
- Powered by 4× AA batteries (included)
- Colour options: white, black
- Dimensions: w: 125 × h: 240 × d: 100 mm





1000 ml





Touchless Hand Disinfectant Dispenser

Available Colours





Basic Information

ECOSTEP-S4 is a new powerful top-class unit, which guarantees repeatable and accurate dosing regardless of the battery charge status. Thanks to the 1000 ml liquid tank, you can use your own disinfectant. Choose from two pump options: spray or foam.

Key Benefits

- · High quality wall dispenser with sensor
- Openable tank for 1000 ml of disinfectant
- Contactless automatic operation
- **Extra-long battery life** thanks to smart energy saving technology
- 2 in 1 system for foam or spray (always one pump in the package)
- Hidden locking system
- Designed for quick and easy use
- **Easy to clean** for safety and optimal hygiene
- Dimensions: w: 120 × h: 280 × d: 130 mm
- 4 x C-type battery









D1

Steripower Touchless Dispenser for Hand Disinfection

D1 PICCO - STAINLESS STEEL



STAND





Do not worry about replacement, cleaning or servicing of your equipment. We will watch for times of servicing and carry out all servicing activities to your utmost satisfaction! No contract needed!

(ecostep® hygiene & facility



Basic Information

The touchless dispenser doses the disinfectant directly on the hand in an amount set by you as the operator. Its maintenance is simple and you can easily choose from the two available dispenser sizes that will be ideal for your company. The patented EcoStep-D1 Steripower is ready for the maximum use. User-adjustable disinfectant dose between 0.5 and 5 ml. Any disinfectant can be applied in the dispenser or disinfectant canister connected to it.

Technical Specifications

MISCELLANEOUS

Power supply 220 - 240 V

or 12 V rechargeable battery

Warning signal low battery

set dosage

Dimensions D1:

w: 290 × h: 505 × d: 200 mm

D1 PICCO

w: 215 × h: 380 × d: 235 mm

Warranty 2 years

Key Benefits

- Maintenance-free and adjustable dosage from 0.5 ml to 5 ml
- Compatible with common disinfectants (0.5 to 1.0 L)
- Mounting on a autonomous stand or on the wall
- Large opening for hands prevents pollution of the surroundings
- Powered from the mains or battery
- Low battery visual warning signal
- No aerosol fumes are formed
- Ideal especially for hospitals, the food and beverages industries, restaurants and facilities with increased demands on hygiene
- ECOSTEP-D1 can be supplemented with a remote use and dosing cycle **counter**
- ECOSTEP-D1 can be interconnected with sensor-controlled **automatic door opening systems**

DUOMAX ALCOHOL-FREE DISINFECTANT







Basic Information

The D8 high-capacity touchless dispenser is ideal for places with very high numbers of users. The stand column contains a large tank for 8 litres of disinfectant. The tank can be refilled from the top. D8 doses the disinfectant directly on the hands in an amount set by you as the operator. D8 operates on 230 V or on a rechargeable battery. The height of the stand is 1200 mm.

Key Benefits

- 8-litre disinfectant tank (up to 22,000 doses)
- Contactless dosing
- Maintenance-free and adjustable dosing
- Powered from the mains or a battery
- · Easy and fast maintenance and cleaning
- Low disinfectant and low battery visual signals
- Robust aluminum structure
- Ideal especially for hospitals, the food and beverages industries, restaurants, shopping centres, swimming pools, businesses, schools, etc.



DUOMAX ALCOHOL-FREE DISINFECTANT





D10

99point9 Touchless Disinfection of Door Handles



Basic Information

HYSO ggpointg is the only automatic disinfectant dispenser for door handles of its kind. The patented automatic system for disinfecting door handles eliminates 99.9% of bacteria, viruses and fungi, and eliminates cross-contamination. 99point9 dispenses disinfectant based on Isopropanol and quaternary ammonium compounds at regular 15-minute intervals. The fast-drying disinfectant ensures regular disinfection of door handles without damaging the surface of the handle or the door. This process reduces spreading of infections and thus protects your customers and employees.

Key Benefits

- Can be fixed to virtually any type of door
- Easy installation and maintenance
- Easy programming
- Meticulously developed dosing
- Battery and disinfectant statuses signalling
- Ambient light sensor
- High quality and fast drying disinfectant
- Does not harm the door and leaves no traces on surfaces
- Selection of **3 dosing intervals** and dosing times
- Package contains dispenser and batteries

REFILL





D7

Wipepod disinfecting and hygienic wipes

REFILL



Basic Information

WIPEPOD is a hygienic system containing disinfectant-wetted wipes, designed for sanitation, disinfection and cleaning of surfaces and human skin. It consists of three parts: wall bracket, dispenser and sanitary wipes.

Key Benefits

- Fast, efficient and mobile solution for disinfection and prevention against viruses and bacteria
- Does not contain alcohol and does not irritate human skin
- 100% organic wipes; size: 24 × 28 cm
- Disinfection and sanitation of all surfaces and human skin
- Kills up to 99.99% of viruses and bacteria
- Registered with the Ministry of Health, meeting the strictest compositional requirements
- Replaces the hand washing process within 12-15 seconds
- The wipes do not dry out thanks to 3 protection zones
- 500 wetted wipes in each package
- **Easy** refilling
- Easy wall or desktop installation
- · Cheaper and more practical than paper towels, wipes and disinfectant in a separate container





Duomax 2 in 1 Alcohol-Free Disinfectant



DEZINFEKCE NA RUCE

NEJLEPŠÍ TECHNOLOGIE NAČIŠTĚNÍ A HYGIEI

Correct hand hygiene is one of the most efficient ways to combat the spread of dangerous pathogens and infections. With Duomax, you can easily protect yourself and others without the use of water and towels.

Duomax is rinse-free and odourless as well as alcohol-free, which is why it does not harm or dry

Duomax has a dual effect: it cleans and disinfects hands at the same time.

Key Benefits

- Does not contain alcohol
- Duomax 2 in 1 is **suitable for all types of** disinfectant dispensers: D1, D3, D8, etc.
- **Proven effectiveness:** Tested in accordance with European standards against a wide range of: bacteria: EN 1276, EN1 4561, fungi: EN 1650, EN 1275, viruses: EN 14476 and spores: EN 13704
- Suitable for: medical facilities, businesses, restaurants, schools, etc.
- Packing size: 5l

Disinfection and Healthcare Disinfection and Healthcare 41

STAND



D3

Sterihand Touchless Dispenser for Hand Disinfection

D3 STERIPLUS - STAINLESS STEEL











Information

D3 works on the principle of disinfectant atomi-

sation. Thanks to this technology and the com-

Once hands are inserted in the device, the ato-

misation process starts automatically and keeps

disinfecting your hands for as long as you need. It

can be powered by a 12V battery or from the 230V mains. Any disinfectant can be dispensed by D3.

pressor, the disinfectant solution breaks down into

fine droplets that reach each and every part of the

Basic

hands.

Technical Specifications

MISCELLANEOUS

Dimensions

Power supply 220 - 240 V

or 12 V rechargeable battery

Warning signal empty tank

D₃ Sterihand:

w: 270 × h: 405 × d: 220 mm

D3.2 Steriplus Stainless

w: 400 × h: 555 × d: 243 mm

Warranty 2 years

Key **Benefits**

- · Maintenance-free, automatic operation
- Compatible with all common disinfectants
- Installation on a desktop, autonomous stand or wall
- Large opening for hands preventing pollution of the surroundings
- Powered from the mains or battery
- Visual signalling of low level in tank
- On/off switch
- Ideal especially for hospitals, the food and beverages industries, restaurants and facilities with increased demands on hygiene

DUOMAX ALCOHOL-FREE DISINFECTANT





Disinfection and Healthcare



Basic Information

D3 works on the principle of disinfectant atomisation. Thanks to this technology and the compressor, the disinfectant solution breaks down into fine droplets that reach each and every part of the hands.

Once hands are inserted in the device, the atomisation process starts automatically and keeps disinfecting your hands for as long as you need. It can be powered by a 12V battery or from the 230V mains. Any disinfectant can be dispensed by D3.

Technical Specifications

MISCELLANEOUS

Power supply 220 - 240 V

or 12 V rechargeable battery

Warning signal empty tank

Dimensions D3.1 Steriplus PROFI:

w: 300 × h: 630 × d: 200 mm

D3.3 Sterijet:

w: 290 × h: 1030 × d: 180 mm

Warranty 2 years

Key Benefits

- D_{3.1} Steriplus **disinfects whole hands**
- D3.3 Sterijet disinfects feet on both sides
- · Maintenance-free, automatic operation
- Compatible with all common disinfectants
- Mounting on a autonomous stand or on the wall
- Large opening for hands preventing pollution of the surroundings
- Powered from the mains or battery
- Visual signalling of low level in tank
- On/off switch
- **Ideal especially** for hospitals, the food and beverages industries, restaurants, swimming pools and facilities with increased demands on hygiene

DUOMAX ALCOHOL-FREE DISINFECTANT







Dispenser For Disinfection

D3.1

Setriplus Touchless

of Hands and Feet





D4

Disinfectant Dispenser for Toilet Seats



Basic Information

ECOSTEP-D4 is a small and economical foam disinfectant dispenser for toilet seats including instructions for use.

Each new sachet has its own foamer making sure that the dispenser always provides the best performance. Alcohol-based disinfectant and soap additive contained in special vacuum sachets guarantee clean operation without leaking on the floor.

Key Benefits

- One 500 ml sachet = approx. 1,500 doses
- New foaming system
- Wall mounting
- Manual dosing on toilet paper
- The top of the dispenser presents instructions for use
- Up to 65% disinfectant savings compared to conventional dispensers
- No dripping or leaking
- · Does not grow harmful bacteria
- Colour: white
- Dimensions: w: 100 × h: 195 × d: 100 mm





D2

Germstar Touchless Dispenser for Hand Disinfection

REFILLS



Basic Information

The touchless dispenser doses the disinfectant directly on the hand in an amount set by you as the operator. Its maintenance is simple and you can easily choose from the two available dispenser sizes that will be ideal for your company. The more compact Germstar EcoStep-D2 can be placed on a stand, table or wall. The 946-ml refills are vacuum-packed and their replacement takes only a few seconds. 4 × LR20 "D" batteries suffice for powering the unit and last for 50,000 doses.

Key Benefits

- Maintenance-free and adjustable dosage from 0.7 ml to 5 ml
- **Disposable** 946-ml disinfectant refill packages
- Precise solenoid valve
- Installable on an autonomous stand, on a desktop or on the wall
- Powered by classic LR20 "D" batteries
- Battery life up to 50,000 uses
- No aerosol fumes are formed
- Ideal especially for hospitals, the food and beverages industries, restaurants and facilities with increased demands on hygiene











Basic Information

Dr1 touchless dispenser works on the principle of disinfectant atomisation. Thanks to this technology and the compressor, the disinfectant solution breaks down into fine droplets that reach each and every part of the hands and shoes.

Complete SC150 terminal

Once a user enters the dry shoe-cleaning zone, the rotary brushes automatically start for a few seconds to remove coarse dirt from the shoes. After proceeding to the disinfection zone, disinfectant atomisation starts for a few seconds to disinfect the shoes. During this process, the user can disinfect his/her hands.

The whole system can be connected to automatic opening of doors or terminals.

Key Benefits

- Easy and fast cleaning and maintenance
- Compatible with all common disinfectants
- Large opening for hands preventing pollution of the surroundings
- Powered fromthe mains
- Visual signalling of low level in tank
- · Safety on/off switch
- No aerosol fumes are formed
- **Ideal especially** for hospitals, the food and beverages industries, restaurants, swimming pools and facilities with increased demands on hygiene
- ECOSTEP-D4 can be interconnected with sensor-controlled **automatic door opening systems**



SA1

SAVER ONE AED Automated Defibrillator



Basic Information

A fully automated external defibrillator (AED) is a small, easy-to-use device that can save the life of a patient with heart failure. It gives clear verbal instructions to the rescuer, can evaluate the patient's condition and recommends or performs resuscitation. It contains an info button for the emergency doctor, briefly informing about the up-to-now course of resuscitation! The unit communicates in Czech.

Key Benefits

Automated device also for laymen

Intuitive single-button operation

Automatic patient's ECG analysis

Device knows whether it will deliver a shock

• Smart automatic **self-testing**

• Suitable for all locations including cars

· Communication in Czech

 Contains resuscitation set: scissors, gloves, disposable razor, breathing mask incl. non-return valve

Discharge of 50J - 200J

Connectible to a computer via USB

6-year warranty

MISCELLANEOUS

EN standards: EN 60601-1:2006, EN 60601-1-2,

EN 61000-4-2 level 4,

EN60601 -2-4: 2003

ECG analysis: automated ECG analysis,

discharge rhythms (VF, fast VT),

non-discharge rhythms (asystole, NSR)

Detections: continuous measurement

of impedance, motion detection,

respiration detection,

electrode contact check

Defibrillation pulse: Adaptive BTE (biphasic truncated

exponential)

Discharge energy: 50J - 200J

Device class: according to Directive 2007/47/EC

IP protection: IP54

Storage temperature: -35° to +65°

Dimensions: 265 × 215 × 75 mm



Cleaning and Facilities









BIO

Ecostep Biological Sanitary Cleaner

Basic Information:

A top-notch biological cleaner permanently eliminates problems with odour. It removes limescale as well as residues of soap and dirt. Harmless for the skin and the environment. Classified as an easily biodegradable cleaner.

Sanitary facilities and waterless urinals (in houses, flats, restaurants, hotels, offices, food processing plants, medical facilities, drain pipes, etc.)

WARNING: Do not mix with products containing chlorine or acidic particles.

INITIAL CLEANING:

500 ml of cleaner per 5 litres of water. Wet wipe or spray. Allow to dry and then rinse with water. Repeat until all odour vanishes.

MAINTENANCE CLEANING:

100 ml of cleaner per 5 litres of water. Application as above. Shake well before use!

Key Benefits


- Permanently eliminates odours
- PH 7 delicate to skin
- Soluble in water 1:50
- · Microbiological basis with exceptional results
- Use: houses, apartments, restaurants, hotels, offices, food processing plants, medical facilities,
- Pleasantly perfumed
- Meets the strictest hygiene requirements

TIP:

The biological sanitary cleaner perfectly cleans all surfaces, not only in toilets. It removes soap residues, dirt and permanently eliminates odours. Single bottle of cleaner for all surfaces.







Ekcoscreen and Powerscreen Perfumed **Urinal Screens**

Basic Information

Powerscreen and Ekcoscreen screens improve the customer's impression of the quality and cleanliness of your urinals and reduce the overall maintenance cost of your sanitary facilities. Our screens are not only cost-effective, but they last more than twice as long as other similar products (each Ekcoscreen lasts over 60 days and Powerscreen over 30 days). The screens are environmentally friendly as they do not have to be replaced frequently and they are made of a unique material containing an antibacterial component that eliminates bacteria and thus odour. In addition, the screens contain a perfume component that releases its scent over time throughout the screen use.

Key Benefits

- Last twice as long as other urinal screens on the market (30 60 days depending on type)
- Developed for very busy toilets, such as in shopping malls, hotels, conference centres, restaurants and hospitals
- The patented "Valveed Bristles Technology" eliminates urine spatters inside and around the urinal
- Effective antibacterial component preventing the spread of unpleasant odours
- a **Unique material** releasing the scent throughout the screen use
- · Releases a fresh and clean scent
- Ideal also for waterless urinals
- Complies with European VOC standards
- 100% recyclable and the only biodegradable product on the market
- Possibility of your own branding



DRAIN

Drain Cleaner

Basic information:

TUBEFREE is a two-phase system, which perfectly removes scale, fatty and other soiling residues, and disinfects the drain pipelines. It eliminates unpleasant odour and prevents its further formation.

TUBEFREE is suitable for hotels, schools, restaurants, shopping centres, etc.

- Professional efficiency
- Descales pipes
- Removes all soiling and protects pipes
- Odourless and non-contaminating (100% biodegradable)
- Long-lasting effect disinfecting with silver ions
- Prophylactic use
- Prevents methane formation

TUBEFREE efficiently eliminates all soiling and odours. It contains chlorhexidine, which is used in healthcare as a surface disinfectant.

It achieves premium results without the need for mechanical cleaning. It does not contain alcohol, chlorine or formaldehyde, thus protecting the environment.

TUBEFREE - phase 2 is used in water tanks as a disinfectant against E. coli, streptococci and legionella.

Key Benefits

- Perfectly deals with limescale, grease residues, dirt and odour
- Usable also as a surface disinfectant
- · Effective disinfection due to the content of silver ioniser
- Perfectly removes lasting impurities
- Prevents formation of methane
- · Does not contain alcohol, chlorine or formaldehyde
- Environmentally friendly
- Odourless 100% organic waste









Cubicle Occupancy System



Basic Information:

The goal is to quickly direct users to free cubicles, to reduce the risk of congestion, to improve the overview for of you as a facility administrator and to make your work easier.

Facility administrators welcome the connectivity of the LooLights system to IoT and real-time data transfer to our own platform and to the 3D Digital Twin technology.

You can have the information available in your computer, mobile device or user interface.



Key Benefits

LooLights do not use information about cubicle occupancy from the position of the lock or the door latch. This means easier installation, fewer wear parts a less worries about alternative solutions in case of mechanical failures.

The system combines modern and functional design and the universally recognised traffic light colour system leading users to vacancies, so they do not have to waste time by searching and trying door handles of locked cubicles.

The use of data and alerts can help shape future toilet designs, including a more targeted and alert-driven approach when it comes to cleaning and maintenance practices.


Loolights do not need to be connected to our system, they can work as autonomous element in cubicles.

They will bring significantly greater comfort to your customers, quick orientation and higher hygiene standard in toilets.





LooLights Specifications



Mains Power Supply: Working Temperature: Operating Voltage: Installation Distances:

Maximum Load: Max ≈2.7′

Mounting Options: Working Load: Online Connectivity: Approvals:

Warranties:

100-240V AC / 50-60Hz


5 - 30°C 12VDC


Maximum Height 3048 mm ≈2.7W @ 9V, 700mA (during WiFi


Transition)


Ceiling or Bracket Mounted ≈1.35W @ 9v, 700mA

WiFi, GSM CE Approved 2 Years










Maximum Centre Power feed hole distance from doorline.



Cleaning and Facilities Cleaning and Facilities 55









EcoStep s.r.o.

K cementárně 234/6 153 00 Prague 5, CZ T: +420 **257 316 462** E: **info@ecostep.cz** Website: **ecostep.cz**

E-shop: **eshop.ecostep.cz**

Showroom and shop in Prague

Pod Klapicí 107/18 Praha 5

Showroom and shop in Velká Bíteš

Masarykovo nám. 6 Velká Bíteš

Office in Slovakia

Horovce 186 Horovce, okr. Púchov

ecostep.cz | eshop.ecostep.cz | ecostep.sk | eshop.ecostep.sk

Did you know that...?



We provide regular servicing

Your job is only to use the equipment. We will provide servicing and maintenance to your utmost satisfaction. **No contract needed.**



Professional and fast installation

All our products include **free training** on operating and maintenance.

FIND OUT MORE



Economic and ecological.

Save **up to 90%** of energy and hundreds of **thousands of litres of water** per year.



rad : 320.22ENG